ISweek.com

PO2-24 Percent Oxygen Sensor

Product Specification Sheet

Electrochemical Galvanic Fuel Cell Percent Oxygen Sensor

Measures Oxygen From 1000 PPM to 25.0% Electrochemical Fuel Cell Sensor Technology Self-Contained, No Need To Add Electrolyte Excellent Stability, Performance & Linearity Continuous And Spot Checking Analysis



SOUTHLAND SENSING MEASURE. ANALYZE. CONTROL. 4045 E. Guasti Rd. #203 Ph: 1 - 949-398-2879; Web: www.sso2.com

Specifications:

Sensor Technology	Micro Fuel Cell
Signal Output ¹	34 - 63uA
Measuring Range	0 - 100 Percent
Response Time T90	13 Seconds
Accuracy Full Scale ²	\pm 1% of Signal
Repeatability F.S.	± 0.5%
Temp Coefficient	2.54 % / ° C
Operating Temp	0 to 50 ° C
Storage Temp	0 to 45 ° C
Recommended Flow	0.5 - 5 SCFH
Humidity	0 - 100% RH (Non-Condensing)
Expected Life ³	25 Months
Storage	3 Months
Warranty⁴	12 Months
PCB Connection	CenterFoilNegative Outer Foil Positive

For Use In CO2 & Natural Gas Applications

1. Signal Output is measured in air at 25 ° C, Sea Level.

2. Full Scale Accuracy is calculated with constant pressure, temperature, and proper calibration (80% O2 Value on Full Scale Range or a range higher). Drastic Temperature change can result in a maximum error of \pm 10%.

3. Expected life is calculated when O2 < 20.9% @ 25 ° C, Sea Level.

4. Southland Sensing Ltd. warranties the sensors for the period noted above to be free from defects in materials and workmanship. SSO2 will not be held liable for sensors damaged due to customer neglect.

4. Southland Sensing Ltd. sensors are tested and validated to BSI Standard BS EN 50104:2010

Sweek www.isweek.com

Add: 16/F, Bldg. #3, Zhongke Mansion, No.1 Hi-Tech S. Rd, Hi-Tech Park South, Shenzhen, Guangdong, 518067 P.R.China

Tel: + 86-755-83289036 Fax: + 86-755-83289052 E-mail: sales@isweek.com